Substitute for Form 1449/PTO				Complete if Known		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)				Application Number	10/522,866	
				Filing Date	September 26, 2005	
				First Named Inventor:	Hong N.P. Cheang	
				Art Unit	1709	
				Examiner Name	Johnson, Kevin M.	
Sheet	1		of	1	Attorney Docket Number	7224.P004
U.S. PATENT DOCUMENTS						
Examiner Initials*	Cite No. <sup>1</sup>	Numl	Document Number  ber-Kind Code <sup>2</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		110				

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. <sup>1</sup>	Foreign Patent Document  Country Code <sup>3</sup> Number <sup>4</sup> Kind Code <sup>5</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	<b>T</b> 6

NON PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T <sup>2</sup>		
	1	CHANG, E., et al., "Plasma spraying of zirconia-reinforced hydroxyapatite composite coatings on titanium," <i>Journal of Materials Science: Materials in Medicine 8</i> :193-200, 1997.			
	2	KUMAR, R., et al., "Phase composition and heat of crystallisation of amorphous calcium phosphate in ultra-fine radio frequency suspension plasma sprayed hydroxyapatite powders," <i>Acta Materialia</i> 52:1171-1181, 2004.			
	3	"Young's modulus," n.d., <file: c:\programme\britannica2001\cache\info_10html=""> [retrieved 11.07.2007]</file:>			
	4	"Induction-Coupled Plasma," n.d., <a href="http://www.materials.drexel.edu/cppm/capabilities.asp">http://www.materials.drexel.edu/cppm/capabilities.asp</a> [retrieved 11.14.2007]			
	5	Plasma Equipment Solutions, Praxair Surface Technologies, Inc. and TAFA Incorporated, printed in the U.S.A. April 2007.			

Examiner	/Kevin Johnson/	Date Considered	02/21/2008
Signature			200000

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>See Kinds Codes of USPTO Patent Documents at <a href="www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SENT FEES OR COMPLETED FORMS TO THIS ADDRESS.

SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.